



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 04/28/2014

Version 1.0

## SECTION 1. Identification

### Product identifier

Product number	PX1838
Product name	<i>iso</i> -Propyl Alcohol HPLC Grade  [2-Propanol]
Synonyms	IPA, iPrOH
CAS-No.	67-63-0

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

### Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation   290 Concord Road, Billerica, MA 01821, United States of America   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)
---------	--

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

## SECTION 2. Hazards identification

### GHS Classification

Flammable liquid, Category 2, H225  
Eye irritation, Category 2, H319  
Specific target organ systemic toxicity - single exposure, Category 3, Central nervous system, H336  
For the full text of the H-Statements mentioned in this Section, see Section 16.

### GHS-Labeling

*Hazard pictograms*



*Signal Word*  
Danger

*Hazard Statements*  
H225 Highly flammable liquid and vapor.  
H319 Causes serious eye irritation.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1838  
Product name *iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

Version 1.0

H336 May cause drowsiness or dizziness.

### *Precautionary Statements*

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403 + P235 Store in a well-ventilated place. Keep cool.

### OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

### Other hazards

None known.

---

### SECTION 3. Composition/information on ingredients

Formula CH<sub>3</sub>CH(OH)CH<sub>3</sub> C<sub>3</sub>H<sub>8</sub>O (Hill)

Synonyms IPA, iPrOH

Molar mass 60.1 g/mol

### Hazardous ingredients

*Chemical Name (Concentration)*

CAS-No.

*2-Propanol (>= 90 % - <= 100 % )*

67-63-0

Exact percentages are being withheld as a trade secret.

---

### SECTION 4. First aid measures

#### Description of first-aid measures

##### *Inhalation*

After inhalation: fresh air. Consult doctor if feeling unwell.

##### *Skin contact*

After skin contact: wash off with plenty of water. Remove contaminated clothing.

##### *Eye contact*

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

##### *Ingestion*

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

irritant effects, respiratory paralysis, Drowsiness, Dizziness, Unconsciousness, narcosis, inebriation, Headache, drowsiness, Coma

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1838  
Product name *iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

Version 1.0

Drying-out effect resulting in rough and chapped skin.

### Indication of any immediate medical attention and special treatment needed

No information available.

---

## SECTION 5. Fire-fighting measures

### Extinguishing media

*Suitable extinguishing media*

Carbon dioxide (CO<sub>2</sub>), Foam, Dry powder

*Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapors possible in the event of fire.

### Advice for firefighters

*Special protective equipment for fire-fighters*

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

*Further information*

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Cool closed containers exposed to fire with water spray.

---

## SECTION 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Keep away from heat and sources of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

### Environmental precautions

Do not empty into drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

---

## SECTION 7. Handling and storage

### Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number PX1838  
Product name *iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

Version 1.0

### *Advice on protection against fire and explosion*

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Conditions for safe storage, including any incompatibilities**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at room temperature.

---

## SECTION 8. Exposure controls/personal protection

### **Exposure limit(s)**

#### *Ingredients*

Basis	Value	Threshold limits	Remarks
<i>2-Propanol 67-63-0</i>			
ACGIH	Time Weighted Average (TWA):	200 ppm	
	Short Term Exposure Limit (STEL):	400 ppm	
NIOSH/GUIDE	Recommended exposure limit (REL):	400 ppm	
		980 mg/m <sup>3</sup>	
	Short Term Exposure Limit (STEL):	500 ppm	
		1,225 mg/m <sup>3</sup>	
OSHA_TRANS	PEL:	400 ppm	
		980 mg/m <sup>3</sup>	
Z1A	Short Term Exposure Limit (STEL):	500 ppm	
		1,225 mg/m <sup>3</sup>	
	Time Weighted Average (TWA):	400 ppm	
		980 mg/m <sup>3</sup>	

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### **Individual protection measures**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### *Hygiene measures*

Change contaminated clothing. Application of skin- protective barrier cream recommended. Wash hands after working with substance.

#### *Eye/face protection*

Safety glasses

#### *Hand protection*

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

PX1838

Version 1.0

Product name

*iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

---

*Other protective equipment:*

Flame retardant antistatic protective clothing

*Respiratory protection*

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

---

## SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	alcohol-like
Odor Threshold	1.0 - 196.1 ppm
pH	at 68 °F (20 °C) neutral
Melting point	-89.5 °C
Boiling point/boiling range	180.3 °F (82.4 °C) at 1,013 hPa
Flash point	54 °F (12 °C) Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	2 %(V)
Upper explosion limit	13.4 %(V)
Vapor pressure	43 hPa at 68 °F (20 °C)
Relative vapor density	2.07
Density	0.786 g/cm <sup>3</sup> at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

PX1838

Version 1.0

Product name

*iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

---

Partition coefficient: n-octanol/water

log Pow: 0.05  
OECD Test Guideline 107  
Bioaccumulation is not expected.

Autoignition temperature

No information available.

Decomposition temperature

Distillable in an undecomposed state at normal pressure.

Viscosity, dynamic

2.2 mPa.s  
at 68 °F (20 °C)

Explosive properties

Not classified as explosive.

Oxidizing properties

none

Ignition temperature

797 °F (425 °C)  
Method: DIN 51794

Minimum ignition energy

0.65 mJ

Conductivity

< 0.1 µS/cm

---

## SECTION 10. Stability and reactivity

### Reactivity

Vapors may form explosive mixture with air.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with:

Alkali metals, Alkaline earth metals, Aluminum

Exothermic reaction with:

Oxidizing agents, Nitric acid, Aldehydes, Amines, fuming sulfuric acid, Iron

Risk of explosion with:

chlorates, Phosgene, organic nitro compounds, hydrogen peroxide, nitrogen oxides

### Conditions to avoid

Warming.

### Incompatible materials

rubber, various plastics, oils

### Hazardous decomposition products

no information available

---

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

PX1838

Version 1.0

Product name

*iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

---

## SECTION 11. Toxicological information

### Information on toxicological effects

#### *Likely route of exposure*

Inhalation, Eye contact, Skin contact

#### *Target Organs*

Eyes

Skin

Respiratory system

#### *Acute oral toxicity*

LDLO human: 3,570 mg/kg (RTECS)

LD50 rat: 5,045 mg/kg (RTECS)

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

#### *Acute inhalation toxicity*

LC50 rat: 46.5 mg/l; 4 h (External MSDS)

Symptoms: Irritation symptoms in the respiratory tract.

#### *Acute dermal toxicity*

LD50 rabbit: 12,800 mg/kg  
(RTECS)

#### *Skin irritation*

Drying-out effect resulting in rough and chapped skin.

#### *Eye irritation*

rabbit

Result: Eye irritation  
(RTECS)

Causes serious eye irritation.

#### *Sensitization*

Sensitization test: guinea pig

Result: negative  
(IUCLID)

#### *Genotoxicity in vivo*

Mutagenicity (mammal cell test): micronucleus.

Result: negative  
(IUCLID)

#### *Genotoxicity in vitro*

Ames test

Result: negative  
(IUCLID)

#### *Carcinogenicity*

Did not show carcinogenic effects in animal experiments. (IUCLID)

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

PX1838

Version 1.0

Product name

*iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

---

### *Reproductive toxicity*

No impairment of reproductive performance in animal experiments. (IUCLID)

### *Teratogenicity*

Did not show teratogenic effects in animal experiments. (IUCLID)

### *Specific target organ systemic toxicity - single exposure*

May cause drowsiness or dizziness.

### *Specific target organ systemic toxicity - repeated exposure*

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### *Aspiration hazard*

Regarding the available data the classification criteria are not fulfilled.

## **Carcinogenicity**

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

## **Further information**

Systemic effects:

After absorption:

Headache, Dizziness, inebriation, Unconsciousness, narcosis

After uptake of large quantities:

respiratory paralysis, Coma

Handle in accordance with good industrial hygiene and safety practice.

---

## **SECTION 12. Ecological information**

### **Ecotoxicity**

#### *Toxicity to fish*

LC50 *Lepomis macrochirus* (Bluegill sunfish): 1,400 mg/l; 96 h (ECOTOX Database)

#### *Toxicity to daphnia and other aquatic invertebrates*

EC5 *E.sulcatum*: 4,930 mg/l; 72 h (maximum permissible toxic concentration) (Lit.)

EC50 *Daphnia magna* (Water flea): 13,299 mg/l; 48 h (IUCLID)

#### *Toxicity to algae*

IC50 *Desmodesmus subspicatus* (green algae): > 1,000 mg/l; 72 h (IUCLID)

#### *Toxicity to bacteria*

EC5 *Pseudomonas putida*: 1,050 mg/l; 16 h (Lit.)



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

PX1838

Version 1.0

Product name

*iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

---

## Persistence and degradability

### *Biodegradability*

95 %; 21 d

OECD Test Guideline 301E

Readily biodegradable.

### *Theoretical oxygen demand (ThOD)*

2,400 mg/g

(Lit.)

### *Ratio BOD/ThBOD*

BOD5 49 %

(IUCLID)

### *Ratio COD/ThBOD*

96 %

(Lit.)

## Bioaccumulative potential

### *Partition coefficient: n-octanol/water*

log Pow: 0.05

OECD Test Guideline 107

Bioaccumulation is not expected.

## Mobility in soil

No information available.

### *Additional ecological information*

Discharge into the environment must be avoided.

---

## SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

---

## SECTION 14. Transport information

### Land transport (DOT)

UN number	UN 1219
Proper shipping name	ISOPROPANOL
Class	3
Packing group	II
Environmentally hazardous	--

### Air transport (IATA)

UN number	UN 1219
Proper shipping name	ISOPROPANOL
Class	3
Packing group	II
Environmentally hazardous	--

---

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

PX1838

Version 1.0

Product name

*iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

---

**Special precautions for user** no

**Sea transport (IMDG)**

**UN number** UN 1219  
**Proper shipping name** ISOPROPANOL  
**Class** 3  
**Packing group** II  
**Environmentally hazardous** --  
**Special precautions for user** yes  
**EmS** F-E S-D

---

**SECTION 15. Regulatory information**

**United States of America**

**OSHA Hazards**

Flammable Liquid  
Eye irritant  
Target organ effects

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

**SARA 311/312 Hazards**

Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

*Ingredients*

2-Propanol	67-63-0	100 %
------------	---------	-------

**SARA 302**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

PX1838

Version 1.0

Product name

*iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

---

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

## DEA List I

Not listed

## DEA List II

Not listed

## US State Regulations

### Massachusetts Right To Know

*Ingredients*

2-Propanol

### Pennsylvania Right To Know

*Ingredients*

2-Propanol

### New Jersey Right To Know

*Ingredients*

2-Propanol

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

---

## SECTION 16. Other information

### Training advice

Provide adequate information, instruction and training for operators.

### Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

PX1838

Version 1.0

Product name

*iso*-Propyl Alcohol HPLC Grade <br/>[2-Propanol]

---

Date of issue: 04/28/2014

---

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

***All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.***