

Stainless Steel Pressure Gauges

Dry gauges are suitable for applications where vibration isn't a concern. Stainless steel cases and wetted materials resist corrosion. Suitable for use with potable water.



ASHCROFT



2 1/2" & 3 1/2" Ashcroft® Duralife® PLUS!™ Pressure Gauges

- PLUS! performance provides vibration and pulse dampening in a dry gauge
- A light, easy-to-read gauge with no messy liquid to leak

Accuracy:	±1.0% full scale
Wetted materials:	316 stainless steel internal tube, no-lead bronze socket
Case material:	304 stainless steel, polycarbonate window
Process connection:	1/4" NPT(M), lower mount
Dial size:	2 1/2" or 3 1/2"
Pointer:	micrometer adjustable

RANGE	GRADS	STOCK #	EACH
2 1/2" DIAMETER DIAL			
30" to 0" Hg VAC	0.5	68000	\$
0 to 15 psi	0.2	68001	
0 to 30 psi	0.5	68002	
0 to 60 psi	1	68003	
<hr/>			
0 to 100 psi	2	68004	
0 to 160 psi	2	68005	
0 to 200 psi	5	68006	
0 to 300 psi	5	68007	
<hr/>			
3 1/2" DIAMETER DIAL			
30" to 0" Hg VAC	0.5	68008	\$
0 to 15 psi	0.2	68009	
0 to 30 psi	0.5	68010	
0 to 60 psi	1	68011	
0 to 100 psi	2	68012	
0 to 160 psi	2	68013	
0 to 200 psi	5	68014	
0 to 300 psi	5	68015	

Back connection for panel mounting

ASHCROFT

2 1/2" & 3 1/2" Ashcroft® Duralife® PLUS!™ Gauges with Back Connection

- PLUS! performance provides vibration and pulse dampening without messy liquid
- Optional U-clamp panel kit allows for easy panel mounting
- Suitable for use with potable water



Back Connection shown with optional U-clamp

Accuracy:	±1.0% full scale
Range limits:	vacuum to 15,000 psi
Wetted materials:	316 stainless steel internal tube, no-lead bronze socket
Case material:	304 stainless steel, polycarbonate window
Process connection:	1/4" NPT(M), back mount
Dial size:	2 1/2" or 3 1/2"
Pointer:	micrometer adjustable
Mounting:	stem, or U-clamp with back connection

RANGE	GRADUATIONS	2 1/2" DIAL GAUGES		3 1/2" DIAL GAUGES	
		STOCK #	EACH	STOCK #	EACH
30" to 0" Hg VAC	0.5	34490	\$	34479	\$
0 to 15 psi	0.2	34491		34480	
0 to 30 psi	0.5	34473		34481	
0 to 60 psi	1	34474		34482	
<hr/>					
0 to 100 psi	2	34475		34483	
0 to 160 psi	2	34476		34484	
0 to 200 psi	5	34477		34485	
0 to 300 psi	5	34478		34486	

Accessories

DESCRIPTION	STOCK #	EACH
U-Clamp for 2 1/2" Back Connection Gauge	34487	\$
U-Clamp for 3 1/2" Back Connection Gauge	34488	

See pages 886-959 for our full selection of

Level & Pressure Equipment.



Over 64,000+ products available! Whether you need a popular item or a hard-to-find replacement part, we have what you need when you need it.