

# GAUGES General-Purpose

## Brass Liquid-Filled Pressure Gauges

Liquid-filled gauges absorb shock, provide pointer stability and protect against internal damage. Not suitable for use with potable water.

**CAUTION:** Do not use these gauges for chlorine applications.



**ASHCROFT**

**NEW!**

### 2 1/2" & 4" Ashcroft® High-Accuracy Liquid-Filled Gauges

- Corrosion-resistant stainless steel case
- Up to high  $\pm 1\%$  accuracy

<b>Accuracy:</b>	2 1/2" gauges: $\pm 1.6\%$ ; 4" gauges: 1%
<b>Wetted material:</b>	bronze, brass
<b>Case material:</b>	304 stainless steel case, polycarbonate window
<b>Process connection:</b>	1/4" NPT(M), lower mount
<b>Dial size:</b>	2 1/2" or 4"
<b>Pointer:</b>	aluminum
<b>Fluid fill:</b>	glycerin

RANGE	GRADS	STOCK #	EACH	QTY 6+
<b>2 1/2" DIAMETER DIAL</b>				
30" to 0" Hg VAC	0.5	13138	\$	\$
30" Hg VAC to 30 psi	2/1	13139		
30" Hg VAC to 100 psi	2/1	38041		
30" Hg VAC to 150 psi	2/1	38042		
0 to 15 psi	0.5	38043		
0 to 30 psi	0.5	38044		
0 to 60 psi	1	38045		
0 to 100 psi	2	38046		
0 to 160 psi	2	38047		
0 to 200 psi	5	38048		
0 to 300 psi	5	38049		
<b>4" DIAMETER DIAL</b>				
30" to 0" Hg VAC	0.5	38071	\$	\$
30" Hg VAC to 15 psi	2/1	38072		
30" Hg VAC to 30 psi	2/1	38073		
0 to 15 psi	0.5	38074		
0 to 30 psi	0.5	38075		
0 to 60 psi	1	38076		
0 to 100 psi	2	38077		
0 to 160 psi	2	38078		
0 to 200 psi	5	38079		
0 to 300 psi	5	38083		



**ASHCROFT**

### 2 1/2" & 4" Ashcroft® Liquid-Filled Gauges

- PowerFlex™ movement and True Zero™ indication for longer life and better accuracy
- 2-year warranty

<b>Accuracy:</b>	$\pm 3/2/3\%$
<b>Wetted material:</b>	brass
<b>Case material:</b>	304 stainless steel case, polycarbonate window
<b>Process connection:</b>	1/4" NPT(M), lower mount
<b>Dial size:</b>	2 1/2" or 4"
<b>Pointer:</b>	aluminum (non-adjustable)
<b>Fluid fill:</b>	glycerin

RANGE	GRADS	STOCK #	EACH	QTY 6+
<b>2 1/2" DIAMETER DIAL</b>				
30" to 0" Hg VAC	0.5	15051	\$	\$
30" Hg VAC to 30 psi	2/1	15052		
0 to 15 psi	0.5	15053		
0 to 30 psi	0.5	15054		
0 to 60 psi	1	15055		
0 to 100 psi	2	15056		
0 to 160 psi	2	15057		
0 to 200 psi	5	15058		
0 to 300 psi	5	15059		
<b>4" DIAMETER DIAL</b>				
0 to 30 psi	0.5	15071	\$	\$
0 to 60 psi	1	15072		
0 to 100 psi	2	15073		
0 to 160 psi	2	15074		
0 to 200 psi	5	15075		
0 to 300 psi	5	15076		